

AMT 11

Mitsubishi
Stamford
D+&''



ISO8528

GC ;) &-

SZUTEST

GC - \$\$\$%



2000/14/EC

&\$\$\$#(#

z) \$' z'z' D:

	"	"	"	"	Amp
400/230	11,00	8,80	10,00	8,00	14,00

FDGDE

GC ;) &

) & z

FDGDE

%\$i % %&

GC" \$(*"

z&(

GC

Standard Specifications

(*# \$S

fl

!

z

z

ALTERNATOR

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

!

TRANSFER SWITCH

AMT 11


Mitsubishi
Stamford
D+&''

Manufacturer		Mitsubishi
Model		S3L2
		% \$ \$ ' "# "
		%% "O% < DQ
	L	1318,00
	"	78 x 92
		22:1
	fl # t	"# " 1500
	fl t	L 4,20
		L 6,50
		12 V d.c.
	Load	% \$ \$ i
	# "	
		2,80

		Stamford
		PI 044F
	Hz	50
	"	13
7cg		0,80
		3
	fl t	400/230
	A	18

		fl t		fl t	
	"	"	"	"	L
AMT 11	370	1300	850	1000	50
		fl t		fl t	
	"	"	"	"	L
AK 10	500	1850	860	1140	50

D+&''



AMT 11

Mitsubishi
Stamford
D+&



- 1 8G9ž +&\$ž) 5ž&&\$#&(\$
- 2
- 3
- 4 8G9ž +&\$ 8G9ž +&\$ ž fl
- 5 8G9ž +&\$ ž
- 6 fl ž ž ž ž ž " ž ž ž ž ž
- 7 # ž ž ž ž ž " ž ž ž ž ž

AMT 11

Mitsubishi
Stamford
D+&''



f@BŁ
f@%&@Ł
f@%&@BŁ

#

#

6G'9B *\$-\$) \$
6G'9B *%\$\$!*&
6G'9B *%\$\$!*(

GA 8

!%& "

%, !&* \$

%)

ž

ž

ž

ž

AMT 11

Mitsubishi
Stamford
D+&



5? %\$!

fV\$!" \$\$ E

ž

ž

ž

ž

ž

ž

ž

&\$\$\$#%/# "

	"	860
fl "E	"	1850
fl "E	"	1140
		50