

AMT 9M

Mitsubishi  
Stamford  
D+&



ISO8528

GC ; ) &

CE

2000/14/EC

&\$\$\$#/( #

% ž) \$ ž'ž' D:

	"	"	"	"	Amp
230	8,50	8,50	7,50	7,50	10,00

fDGDŁ

GC ; ) &

fDF DŁ

ž&(

GC

Standard Specifications

Aksa power generation system, providing optimum performance, reliability, and versatility for stationary standby, prime power, and continuous duty applications. All generator sets are prototype tested, factory build, and production tested.

ALTERNATOR

TRANSFER SWITCH

# AMT 9M


Mitsubishi  
Stamford  
D+&''

Manufacturer		Mitsubishi
Model		S3L2
		% \$ \$ ' "# "
		%% "O < DQ
	L	1,30
	"	78 x 92
		22:1
	fl # t	"# " 1500
	fl t	L 4,20
		L 6,50
		12 V d.c.
	Load	% \$ \$ i
	# "	
		2,80

		Stamford
		PI 044F
	Hz	50
	"	13
7cg		0,80
		1
	fl t	230
	A	18

		fl t		fl t	
	"	"	"	"	L
AMT 9M	370	1300	850	1000	50
		fl t		fl t	
	"	"	"	"	L
AK 10	500	1850	860	1140	50

D+&''



- 1
- 2
- 3
- 4
- 4

# AMT 9M

Mitsubishi  
Stamford  
D+&



- 1 8G9ž +&\$ž ) 5ž&&\$#(\$
- 2
- 3
- 4 8G9'+&\$ 8G9'+&\$ ž fl
- 5 8G9'+&\$ ž
- 6 fl ž fl %\$\$
- 7 ž ž ž ž ž
- 8 # ž ž ž ž

# AMT 9M

Mitsubishi  
Stamford  
D+&''



f@BŁ  
f@%&@Ł  
f@%&@BŁ

#

#

6G'9B \*\$-\$) \$  
6G'9B \*%\$\$!\*&  
6G'9B \*%\$\$!\*(

GA 8

!%& "

# AMT 9M

Mitsubishi  
Stamford  
D+&



5? %\$!

1

fl "Ł fV\$!" \$\$ Ł  
ž ž " "

1

ž ž ž ž  
ž ž  
&\$\$\$#%/# "

	"	860
fl "Ł	"	1850
fl "Ł	"	1140
		50