

AMT 17M

Mitsubishi
Stamford
D+&



ISO8528

GC ;) &

CE

2000/14/EC

&\$\$\$#/(#

% ž) \$ ž'ž' D:

	"	"	"	"	Amp
230	17,00	17,00	15,50	15,50	22,00

fDGL

=GC ;) &

) & ž

fDF DL

ž&(

=GC

%\$!

%

%&

=GC" \$(*"

Standard Specifications

(*#\$\$

fl

!

ž

ž

ALTERNATOR

TRANSFER SWITCH

AMT 17M


Mitsubishi
Stamford
D+&''

Manufacturer	Mitsubishi
Model	S4Q2
	% \$\$' "# "
	&& "Q< DQ
L	2,50
"	88 X 103
	22:1
fl # Ł	"# " 1500
	12 V d.c.
Load	%"\$!i
# "	6,00

	Stamford
	PI 144G
Hz	50
"	16
7cg'	0,80
	1
fl Ł	230
A	23

		fl "Ł		fl "Ł	
	"	"	"	"	L
AMT 17M	460	1400	850	1000	50
		fl "Ł		fl "Ł	
	"	"	"	"	L
AK 10	635	1850	860	1140	50

D+&''



AMT 17M

Mitsubishi
Stamford
D+&



- 1 8G9ž +&\$ž) 5ž&&\$#&(\$
- 2
- 3
- 4 8G9'+&\$ 8G9'+&\$ ž fl
- 5 8G9'+&\$ ž
- 6 fl ž fl %&\$
- 7 ž ž ž ž ž
- 8 # ž ž ž ž

AMT 17M

Mitsubishi
Stamford
D+&''



f@BŁ
f@%&@Ł
f@%&@BŁ

#

#

6G'9B *\$-\$) \$
6G'9B *%\$\$!*&
6G'9B *%\$\$!*(

GA 8

!%& "

%, !&* \$

%)

ž

ž

ž

ž

AMT 17M

Mitsubishi
Stamford
D+&



5? %\$!

fV\$!" \$\$ E

ž

ž

ž

ž

ž

ž

ž

&\$\$\$#/%/# "

	"	860
fl "E	"	1850
fl "E	"	1140
		50