

ALP 15

Lister Petter
Stamford
D+&



ISO8528	GC ;) &
SZUTEST	GC - \$\$\$
CE	

2000/14/EC	&\$\$\$#(#				
uĭĭ ; ĩ WZ' !: Unĭž) \$<nž; : 'šž					

	"	"	"	"	Amp
400/230	15,00	12,00	13,50	10,80	19,00

...
...

Standard Specifications

(* # \$ \$
...
...

...
...

...
...

...
...

...
...

...
...

ALP 15

Lister Petter
Stamford
D+&

Manufacturer		Lister Petter		
Model		LPW 2		
	L	0,93		
	"	86 X 80		
		18.5:1		
	# "	3000		
	L	3,20		
	L	5,50		
AbsorbedAirDischargeReSourceKey.Text	' # "	19,75		
	' # "	55		
	° C	540		
		12 V d.c.		
	Load	%\$i	+) I) \$i
	# "			
		3,90	3,10	2,30


		Stamford		
		PI 042E		
	Hz	50		
	"	15		
7cg		0,80		
		3		
	fl 7	400/230		
	A	21		
		&# 'UXia		

		fl 7		fl 7	
	"	"	"	"	L
ALP 15	375	1380	770	1000	80
		fl 7		fl 7	
	"	"	"	"	L
ASM1	520	1770	810	1180	80

ALP 15

Lister Petter
Stamford
D+&''

1 D+&''



- 1
- 2
- 3
- 4
- 4

2

8G9ž +&\$ž) 5ž&&\$#(\$

3

4

5

8G9'+&\$ 8G9'+&\$ fl

8G9'+&\$ 8G9'+&\$ ž fl

fl ž fl %\$\$

ž ž ž ž "

ALP 15

Lister Petter
Stamford
D+&

f@BŁ
f@%&@Ł
f@%&@Ł

#

#

6G'9B*\$-\$)'
6G'9B*\$\$\$!*&
6G'9B*\$\$\$!*('

GA 8

%, !&*\$

%)

ž

ž

!%&

"

ž


ž

"

ALP 15

Lister Petter
Stamford
D+&

5GA %!



1. 5GA %!

2. 5GA %!

3. 5GA %!

4. 5GA %!

5. 5GA %!

6. 5GA %!

7. 5GA %!

8. 5GA %!

9. 5GA %!

10. 5GA %!

	"	810
f) "7	"	1770
f) "7	"	1180
		80