


Manufacturer		Lister Petter		
Model		LPW 3		
	L	1,39		
	"	86 X 80		
		18.5:1		
	# "	1800		
	L	4,00		
	L	6,50		
AbsorbedAirDischargeReSourceKey.Text	' # "	29,62		
	' # "	82,80		
	° C	540		
		12 V d.c.		
	Load	%\$i	+) i) \$i
	# "			
		5,90	4,60	3,40

		Mecc Alte		
		ECO 28-3L/2		
	Hz	50		
	"	19		
7 cg		0,80		
		1		
	fl ı	230		
	A	27		
		&# ' UXia		

		fl ı		fl ı	
	"	"	"	"	L
ALP 17M	465	1450	820	1100	90
		fl ı		fl ı	
	"	"	"	"	L
ASM 2	640	1920	870	1280	90

1 D+&



- 1
- 2
- 3
- 4
- 4

2

8G9ž +&\$ž) 5ž&&\$#(\$

3

4

5

8G9'+&\$

8G9'+&\$

8G9'+&\$

fl

ł

ž

fl

%%\$

ł

#

ž

ž

ž

ž

"

f@BŁ
f@%&@Ł
f@%&@BŁ

#

#

6G'9B *\$-\$) \$
6G'9B *%\$\$!*&
6G'9B *%\$\$!*(

GA 8

!%& "

%, !&*\$


%)

ž

ž

ž

5GA &!



Technical specifications and performance data for the ALP 17M generator, including power ratings, efficiency, and operational parameters. The text is partially obscured by noise and artifacts.

	"	870
f) "7	"	1920
f) "7	"	1280
		90