

ALP 22

Lister Petter
Stamford
D+&''



ISO8528

GC ;) &

SZUTEST

GC - \$\$\$

CE

2000/14/EC

&\$\$\$#(#

z) \$ z' z' D:

	"	"	"	"	Amp
400/230	22,00	17,60	19,00	15,20	27,00

FDGDE

GC ;) &

) & z

FDGDE

%\$i

%

%&

GC" \$(**

z&(

GC

Standard Specifications

(*# \$S

z

fl

!

E

z

z

ALTERNATOR

TRANSFER SWITCH


ALP 22

Lister Petter
Stamford
D+&''

Manufacturer	Lister Petter		
Model	LPW 3		
	L	1,39	
	"	86 X 80	
		18,5:1	
fl # Ł	"# "	1800	
fl "Ł	L	4,00	
	L	6,50	
AbsorbedAirDischargeReSourceKey.Text	' # "	29,62	
	' # "	82,80	
	° C	540	
		12 V d.c.	
	Load	%\$!i	'+) i
	# ") \$i	
		5,90	4,60 3,40

	Stamford	
	PI 42G	
	Hz	50
	"	20
7cg'		0,80
		3
fl Ł		400/230
	A	28

		fl "Ł		fl "Ł	
	"	"	"	"	L
ALP 22	465	1450	820	1100	90
		fl "Ł		fl "Ł	
	"	"	"	"	L
ASM 2	640	1920	870	1280	90



ALP 22

Lister Petter
Stamford
D+&''

- 1 8G9ž +&\$ž) 5ž&&\$#&(\$
- 2
- 3
- 4 8G9'+&\$ 8G9'+&\$ ž fl
&)' ž
'8G9'+&\$ ž "
- 5 fl ž ž ž ž ž " ž fl %&\$ ž
ž
ž ž ž ž ž

ALP 22

Lister Petter
Stamford
D+&''

f@BŁ
f@%&@Ł
f@%&@BŁ

#

#

6G'9B *\$-\$) \$
6G'9B *%\$\$!*&
6G'9B *%\$\$!*(

GA 8

!%& "

%, !&* \$

%&\$)

ž


ž

ž

ALP 22

Lister Petter
Stamford
D+&''

5GA &!'



1. 2. 3. 4. 5. 6. 7. 8. 9. 10.

1. 2. 3. 4. 4. 5. 7. 8. 9. 10.

	"	870
f) "7	"	1920
f) "7	"	1280
		90