

ADG 350

Doosan
Mecc Alte
D+ &



ISO8528

GC ,) &

SZUTEST

GC - \$\$\$

CE

2000/14/EC

&\$\$#/(#

! ž \$ < nž 7 cg 1 \$ž

	"	"	"	"	
400/230	350.00	280.00	317.00	253.00	457.00

fP G D Ł

GC ,) &

f D F D Ł

GC ,) & ž

%\$!

%

%&

ž & (

GC " \$ (* "

ENGINE

ALTERNATOR

WISE ACCESSORIES

CONTROL SYSTEM

ADG 350

Doosan
Mecc Alte
D+ &''

1

Manufacturer	Doosan	
Model	GV 180TI	
	1500 d/dk	' % "\$ "Q DQ
	L	434.0000
		128 x 142
		10,5 : 1
	fl # Ł	rpm
		1500
Fuel Consumption	m ³ /h.	74,7
Gas Pressure	mbar	70 - 300
Oil Capacity	L	35
Water Capacity	L	42
Absorbed Air Discharge	m ³ /dk.	1434
Disposal Air	m ³ /san	9
	m ³ /dk.	2328
	° C	520

2

Manufacturer	Mecc Alte	
	ECO38 - 3LN	
	"	350
Cos fi	1	
	3	
	400/230	
5_ia	A	505


3

	"	"	"	"
	3650	3000	1450	2050
	"	"	"	"
	4900	4900	1600	2500

ADG 350

Doosan
Mecc Alte
D+ &

• D+ &



• Devices

"8G9ž + &\$ž) 5ž&&\$#(&(\$

• Structure And Paint

• Montage

• Generator Control Unit


"8G9+' &\$ž &) \$ ž "8G9+' &\$ž "8G9+' &\$ž "8G9+' &\$ž

% &l '*(' žFG' &žFG(,)ž

ADG 350

Doosan
Mecc Alte
D+ &''

5? ", %!



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

1

f! \$\$! %\$\$' E'

1

&\$\$\$/ # "

		AK 81
	mm.	1600
	mm.	4900
	mm.	2500