

ADG 428

Doosan
Mecc Alte
D+1 &



ISO8528

GC,) &

SZUTEST

GC - \$\$\$

CE

2000/14/EC

&\$\$#/(#

! ž \$<nž7cg 1 \$ž

	"	"	"	"	
400/230	428.00	342.00	387.00	309.00	558.00

fPQDŁ

GC,) &

fDF DŁ

GC,) & ž

%\$!

%

%&

ž&(

GC " \$(**

ENGINE

!

!

!

WISE ACCESSORIES

!

!

!

!

!

!

!

!

ALTERNATOR

!

!

!

!

CONTROL SYSTEM

!

!

!

!

!

!

!

ADG 428

Doosan
Mecc Alte
D+ &''

Manufacturer	Doosan	
Model	GV222TI	
	1500 d/dk	' ,)"\$ "Q DQ
	L	523.0000
		128 x 142
		10,5 : 1
	fl # ı	rpm
		1500
Fuel Consumption	m ³ /h.	95,2
Gas Pressure	mbar	70 - 300
Oil Capacity	L	40
Water Capacity	L	44
Absorbed Air Discharge	m ³ /dk.	1776
Disposal Air	m ³ /san	11
	m ³ /dk.	2868
	° C	490


Manufacturer	Mecc Alte	
	ECO40 - 1S	
	"	400
Cos fi	1	
	3	
	400/230	
5_ia	A	577

	"	"	"	"
	4730	3250	1650	2050
	"	"	"	"
	5850	5800	1620	2550

ADG 428

Doosan
Mecc Alte
D+ &

● D+ &



● Devices

"8G9ž + &\$ž) 5ž&&\$#(&(\$

● Structure And Paint

● Montage

● Generator Control Unit

"8G9+' &\$ž &) \$ ž "8G9+' &\$ž "8G9+' &\$ž "8G9+' &\$ž

% &l '*(' žFG' &žFG(,)ž

ADG 428

Doosan
Mecc Alte
D+ &

Indicator

f@z@Bt
f@%&!@t

"z" "z" "z"

f@z@Bt

Protection

971

#

#

#

#

Optional Properties

f&) (, t
f&%) +t
f&% \$t

Standards

6G'9B '*\$-) '\$

6G'9B '*%\$\$\$!*&

6G'9B '*%\$\$\$!*('

#

Electronic Charge Equipment

z
% , !&* \$

) z GA 8
&(\$) z z !&(" z

ADG 428

Doosan
Mecc Alte
D+ &''



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

1

fl \$\$! %\$\$ E'

1

&\$\$#/# "

		AK 85
	mm.	1620
	mm.	5800
	mm.	2550