

APD 20 CF

Aksa
Aksa P 4



SZUTEST

GC - \$\$\$



z) \$ z' \$z' D:

	"	"	"	"	Amp
400/230	20,00	16,00	18,00	14,40	25,00

fP9DŁ

GC ,) &

fDF DŁ

Z&(

GC

Standard Specifications

(*# \$s

fl

!

E

Z

Z

1

ALTERNATOR

! ! ! ! !

fl " E

TRANSFER SWITCH

!

APD 20 CF


Aksa
Aksa P 4

Manufacturer		Aksa
Model		CY 485 D
		%\$\$' "# "
		&\$' "Q+< DQ
	L	2,15
	"	85 X 95
		18.0:1
	fl # ı	"# " 1500
	fl "ı	L 10,00
	L	10,00
AbsorbedAirDischargeReSourceKey.Text	' # "	2,30
	' # "	110
	' # "	6,50
	° C	500
		12 V d.c.
	Load	%\$\$ı
	# "	
		5,00

		Aksa
	Hz	50
7cg'		0,80
		3
	fl ı	400/230

		fl "ı		fl "ı	
	"	"	"	"	L
APD 20 CF	625	1500	900	1100	95
		fl "ı		fl "ı	
	"	"	"	"	L
ASM 3C	825	1950	970	1300	95

D('!!




APD 20 CF

Aksa
Aksa P 4

- 1 5A: () 5Z&&\$#(\$
- 2
- 3
- 4 5A: (5A: (&\$ \$ tž
- 5 5D8 fl 5A: (ž
- 6 5A: (ž
- 7
- 8
- 9
- 10

5GA " 7 !



- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

APD 20 CF

Aksa
Aksa P 4

	"	970
fl "L	"	1950
fl "L	"	1300
		95